


PRODUCT DATA SHEET

FDF1140Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1140Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	115x 22.23 mm
DAIMETER	115 mm
Hole	22.23 mm
Grit Size	40
PRODUCT WEIGHT	72 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	13,300 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	200 PCS
NET WEIGHT OF PACKING UNIT	14.755 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF1160Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1160Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	115x 22.23 mm
DAIMETER	115 mm
Hole	22.23 mm
Grit Size	60
PRODUCT WEIGHT	68 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	13,300 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	200 PCS
NET WEIGHT OF PACKING UNIT	13.955 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF1180Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1180Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	115x 22.23 mm
DAIMETER	115 mm
Hole	22.23 mm
Grit Size	80
PRODUCT WEIGHT	65 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	13,300 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	200 PCS
NET WEIGHT OF PACKING UNIT	13.355 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF11100Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF11100Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	115x 22.23 mm
DAIMETER	115 mm
Hole	22.23 mm
Grit Size	100
PRODUCT WEIGHT	65 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	13,300 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	200 PCS
NET WEIGHT OF PACKING UNIT	13.355 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	USA

PRODUCT DATA SHEET

FDF11120Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.

Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF11120Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	115x 22.23 mm
DAIMETER	115 mm
Hole	22.23 mm
Grit Size	120
PRODUCT WEIGHT	61 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	13,300 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	200 PCS
NET WEIGHT OF PACKING UNIT	12.555 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA