


PRODUCT DATA SHEET

FDF1840Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1840Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	180 x 22.23 mm
DAIMETER	80 mm
Hole	22.23 mm
Grit Size	40
PRODUCT WEIGHT	210 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	8,500 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	60 PCS
NET WEIGHT OF PACKING UNIT	12.955 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF1860Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.

Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1860Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	180 x 22.23 mm
DAIMETER	180 mm
Hole	22.23 mm
Grit Size	60
PRODUCT WEIGHT	200 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	8,500 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	60 PCS
NET WEIGHT OF PACKING UNIT	12.355 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF1880Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.


Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF1880Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	180 x 22.23 mm
DAIMETER	180 mm
Hole	22.23 mm
Grit Size	80
PRODUCT WEIGHT	193 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	8,500 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	60 PCS
NET WEIGHT OF PACKING UNIT	11.935 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF18100Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.

Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF18100Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	180 x 22.23 mm
DAIMETER	180 mm
Hole	22.23 mm
Grit Size	100
PRODUCT WEIGHT	185 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	8,500 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	60 PCS
NET WEIGHT OF PACKING UNIT	11.455 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA

PRODUCT DATA SHEET

FDF18120Z



T-27 - Used for grinding flat surfaces. Most efficient when used at a 0-15 degree angle.

Product Features:

- High quality cloth & premium Aluminum oxide grains
- Consistent Cutting rate with min. Heat generation
- Long Life with consistence surface finish.
- Less operational cost
- High Quality Fiber glass backing

PRODUCT CODE	FDF18120Z
PRODUCT USAGE	Surface Finish
PRODUCT DIMENSION	180 x 22.23 mm
DAIMETER	180 mm
Hole	22.23 mm
Grit Size	120
PRODUCT WEIGHT	185 gms. (with Standard tolerance)
PRODUCT TYPE	TYPE 27
PRODUCT SHAPE DESCRIPTION	Flat flap disc
MAXIMUM OPERATING SPEED	80 m/s
MAXIMUM REVOLUTION	8,500 U/min
PRODUCT SUITABILITY	STAINLESS STEEL/ALUMINIUM
INDUSTRIAL SUITABILITY OF PRODUCT	FOUNDRY & DRESSING, SITE CONSTRUCTION, SHIPYARD, PIPE CONSTRUCTION (Weld removal and blending of all types of metal Fabrications for light duty applications)
STANDARD FOLLOWING FOR ABRASIVE MARKING	EN13743
TYPE OF PACKING	CARTON
PIECES PER PACKING	60 PCS
NET WEIGHT OF PACKING UNIT	11.455 Kgs
CUSTOMS TARIFF NUMBER	68042200
COUNTRY OF ORIGIN	KSA